

HOTSY Guns



Designed exclusively for Hotsy to meet the demands of the high pressure cleaning professional.



- **PSI: 5000**
- **GPM:** 10.5
- **Temperature:** 320°F
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 20 oz

Part No.	Description
8.749-171.0	Hotsy Gun
8.749-354.0	Hotsy Gun Repair Kit



- **PSI: 3750**
- **GPM:** 12
- **Temperature:** 300°F
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 24 oz



Part No.	Original No.	Description
8.711-345.0	860447	Hotsy Gun
8.717-658.0	877471	Hotsy Gun Repair Kit



- **PSI: 4500**
- **GPM:** 10
- **Temperature:** 300°F
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 26 oz



Part No.	Original No.	Description
8.711-346.0	691867	Hotsy Gun
8.717-660.0	753179	Hotsy Gun Repair Kit

Legacy AP1000 Trigger Gun



The World's most popular and easy to repair gun!!!



- **PSI: 4500**
- **GPM:** 12
- **Temperature:** 300°F
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 19 oz

Part No.	Original No.	Description
9.802-229.0	353010	AP1000
8.710-414.0	353010W	AP1000 Weep
8.704-157.0	109856	Unitized Valve
8.704-158.0	109857	Unitized Valve (Weep)
8.704-159.0	109858	Trigger Seal Kit

Power performance with comfort and durability.



- **PSI: 4600**
- **GPM:** 10
- **Temperature:** 300°F
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 23 oz

Part No.	Original No.	Description
8.710-416.0	353025	Model 2500
8.704-173.0	109950	Unitized Valve
8.704-174.0	109960	Trigger Seal Kit

AP740 Trigger Gun



Extra value!



- **PSI: 4000**
- **GPM:** 8
- **Temperature:** 320°F
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 13.4 oz

Part No.	Original No.	Description
8.710-417.0	353030	MV2005

Superior quality inline gun, especially well suited for high reach applications.



- **PSI: 4000**
- **GPM:** 10.5
- **Temperature:** 300°F
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 21.9 oz

Linear

Part No.	Original No.	Description
8.710-439.0	353201	Linear 2 Gun
8.704-141.0	109797	Repair Kit-Linear 2 Gun

Trigger Gun



- **PSI: 4000**
- **GPM:** 7
- **Temperature:** 300°F
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 17 oz

Part No.	Description
8.749-248.0	MV920
8.749-249.0	Repair Kit

Giant Trigger Guns

GIANT

The Original "Heavy weight".



- **PSI: 5000**
- **GPM: 10**
- **Temperature: 300°F**
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 29.28 oz

21290C

Part No.	Original No.	Description
8.710-394.0	725740	21290C - Brass Outlet
8.710-392.0	691810	21250B - SS Outlet
8.722-172.0	753020	Repair Kit

J.E. Adams Trigger Gun

J.E. ADAMS
INDUSTRIES, LTD.

Vented handle for Cooler Operation.



- **PSI: 4500**
- **GPM: 12**
- **Temperature: 300°F**
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 25.64 oz

5030NP

Part No.	Original No.	Description
8.710-391.0	722923	Adams 5030NP
8.700-294.0	722925	Repair Kit

Suttner Trigger Guns

SUTTNER

High pressure and fatigue free "relax action" design.



- **PSI: 5000**
- **GPM: 12**
- **Temperature: 300°F**
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 21 oz

ST-2605

Part No.	Original No.	Description
8.710-376.0	728401	ST-2605
8.701-673.0	753016	Unitized Valve, Repair Kit

Extreme durability with easy pull trigger.



- **PSI: 5000**
- **GPM: 12**
- **Temperature: 300°F**
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 21 oz

ST-2305

Part No.	Original No.	Description
8.710-386.0	728395	ST-2305
8.710-387.0	352239	ST-2300 w/ Weep (4500 PSI)
8.701-673.0	753016	Unitized Valve, Repair Kit
8.701-674.0	089851	Unitized Weep Valve, Repair Kit

Suttner Trigger Guns (continued)

The handle style for "Big Hands".

SUTTNER



- **PSI: 4000**
- **GPM: 12**
- **Temperature: 300°F**
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 26 oz

ST-2000

Part No.	Original No.	Description
8.710-388.0	728394	ST-2000
8.701-663.0	753021	Unitized Valve, Repair Kit
8.701-665.0	089631	Unitized Weep Valve, Repair Kit

The perennial favorite for general pressure washer applications.

SUTTNER



- **PSI: 4000**
- **GPM: 12**
- **Temperature: 300°F**
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 20.5 oz

ST-1500

Part No.	Original No.	Description
8.710-384.0	691811	ST-1500
8.710-385.0	352236	ST-1500 w/ Weep
8.701-663.0	753021	Unitized Valve, Repair Kit
8.701-665.0	089631	Unitized Weep Valve, Repair Kit

15° offset angle thru gun for easier overhead use.

SUTTNER



- **PSI: 4000**
- **GPM: 12**
- **Temperature: 300°F**
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 23 oz

ST-601

Part No.	Original No.	Description
8.710-370.0	352201	ST-601
8.701-663.0	753021	Unitized Valve, Repair Kit

Relax action design, **STAINLESS STEEL** gun.

SUTTNER



- **PSI: 5000**
- **GPM: 12**
- **Temperature: 300°F**
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 21 oz

ST-2700

Part No.	Original No.	Description
8.710-389.0	352243	ST-2700
8.701-658.0	089070	Unitized Valve, Repair Kit

PA Trigger Guns



- **PSI: 5000**
- **GPM:** 10.5
- **Temperature:** 300°F
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 26 oz



RL30 – YG5000

Part No.	Original No.	Description
8.710-377.0	352221	RL30–YG5000
8.704-616.0	111976	Repair Kit



- **PSI: 5000**
- **GPM:** 10.5
- **Temperature:** 300°F
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 27.5 oz



Vega 5000

Part No.	Original No.	Description
8.710-378.0	352222-5	Vega 5000
8.710-379.0	352222W	Vega Weep Gun
8.704-232.0	110550	Valve Kit Vega
8.704-615.0	111950	Repair Kit

Easy Hold Trigger, Stainless Steel Compensating.



- **PSI: 6400**
- **GPM:** 10.5
- **Temperature:** 320°F
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 30 oz



Orange Nova

Part No.	Original No.	Description
8.904-098.0	353223	Orange Nova SS Gun
8.704-617.0	111980	Repair Kit Orange Nova

Easy pull and easy to hold with matching blue lance.



- **PSI: 5650**
- **GPM:** 8
- **Temperature:** 320°F
- 3/8" FPT inlet x 1/4" BSP outlet
- Weight: 23.3 oz
- Blue vent grip, stainless steel lance has 1/4" BSP threads



RL-55 Blue & Lance



Part No.	Original No.	Description
8.710-446.0	353250	RL-55 Blue Gun
8.710-645.0	368440PB	40" SS lance w/ blue vent grip
8.704-610.0	111814	Repair Kit- RL-55

PA Trigger Guns (continued)



- **PSI: 3200**
- **GPM:** 8
- **Temperature:** 320°F
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 10 oz



RL20

Part No.	Original No.	Description
8.710-440.0	353207	RL20
8.704-180.0	109993	Repair Kit

MV Hobby Wash Gun

Excellent Light-duty gun.



- **PSI: 1850**
- **GPM:** 5
- **Temperature:** 180°F
- 1/4" M inlet x 1/4" F outlet
- Weight: 8.4 oz



Hobby Wash Gun

Part No.	Original No.	Description
8.710-419.0	353040	Hobby Wash Gun

NOTE: See page 32 for Hobby Unit parts

MV 950 Gun



- **PSI: 4500**
- **GPM:** 8
- **Temperature:** 300°F
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 20 oz



Part No.	Original No.	Description
8.710-423.0	353045	Model 950
8.704-194.0	110030	Valve Kit

Arrowline Guns

Easy Pull, Easy Hold!



- **PSI: 5000**
- **GPM:** 8
- **Temperature:** 302°F
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 20 oz



AL 35

Part No.	Original No.	Description
8.710-434.0	353110	AL 35 - Blue
8.710-435.0	353111	AL 35 - Yellow
8.720-563.0	AL016650016	Repair Kit

Arrowline Guns (continued)

Easy pull trigger.



- **PSI: 4500**
- **GPM: 8**
- **Temperature: 300°F**
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 20 oz

AL 19

Part No.	Original No.	Description
8.710-433.0	353105	AL 19
8.720-563.0	AL016650016	Repair Kit



- **PSI: 4060**
- **GPM: 10.5**
- **Temperature: 300°F**
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 25 oz

AL 5

Part No.	Original No.	Description
8.710-432.0	353100	AL 5
8.720-561.0	AL01165006	Repair Kit

Big Guns



- **PSI: 1800**
- **GPM: 26.5**
- **Temperature: 300°F**
- 1/2" FPT inlet / outlet
- Weight: 59.2 oz



Model 100 "Big Brown Gun"



- **PSI: 3200**
- **GPM: 53**
- **Temperature: 210°F**
- 3/4" F inlet / 1/2" outlet
- Weight: 47.5 oz

Model RL204

Part No.	Original No.	Description
8.710-444.0	353245	Model 100
8.704-136.0	109775	Repair Kit - Model 100
8.740-165.0		Model RL204
8.749-327.0		Repair Kit - Model RL204
8.704-612.0	111900	Repair Kit - Model 160



- **PSI: 8100**
- **GPM: 21**
- **Temperature: 210°F**
- 1/2" SS FPT inlet / outlet
- Weight: 60.3 oz



Model 80 "Big Black Gun"



- **PSI: 7250**
- **GPM: 26**
- **Temperature: 300°F**
- 1/2" plated steel FPT inlet / outlet
- Weight: 42.5 oz



ST-3002 Stainless Steel Gun

Part No.	Original No.	Description
8.710-445.0	353246	Model 80
8.704-147.0	109825	Repair Kit
8.710-380.0	352223	ST-3002
8.701-677.0	089876	Repair Kit (Includes Seal Kit)
8.701-676.0	089875	Seal Kit

Big Stainless Steel Lances & Side Handles

For big guns shown above.



- **PSI: 4866**
- **Temperature: 300°F**

- High pressure stainless steel pipe
- Complete with adjustable handle & coupler for 1/4" MPT nozzle
- 1/2" MPT gun connection
- Schedule 40 pipe

Part No.	Original No.	Description
8.904-081.0	352902A	20" Lance w/ Handle
8.904-083.0	352904A	40" Lance w/ Handle
8.904-086.0	352906A	Side Handle Only

Open Guns

Just plain comfortable!



- **PSI: 4500**
- **GPM: 12**
- **Temperature: 302°F**
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 21.5 oz

Part No.	Original No.	Description
8.710-398.0	352602	Model 2500 Open Gun

Durable Glass Reinforced Handle.



- **PSI: 4000**
- **GPM: 12**
- **Temperature: 300°F**
- 3/8" FPT inlet x 1/4" FPT outlet
- Tubular Flow-Thru internals for high pressure and efficiency
- Weight: 16.7 oz

Part No.	Original No.	Description
8.710-396.0	352600	Legacy AP1000 Open Gun



- **PSI: 4000**
- **GPM: 7**
- **Temperature: 300°F**
- 3/8" FPT inlet x 1/4" FPT outlet
- Weight: 12.2 oz

Part No.	Original No.	Description
8.710-425.0	353050	AP740 Open Gun

Flow Thru Guns



- Pistol grip gun handle
- Tough polyurethane insulation
- Cushion grip - red or black
- Full grip or slim line handle (See specs below)

Part No.	Original No.	Description
8.710-399.0	352605	Full Red Grip 3/8" FPT x 1/4" FPT
8.710-400.0	352606	Full Black Grip 3/8" FPT x 1/4" FPT

Gun Handle w/ 18" Lance

8.710-403.0	352614	Slim Red Grip 1/4" M x 1/4" F
8.710-404.0	352616	Full Red Grip 3/8" F x 1/4" M

AP Dump Gun



Water continues to run through the tube even when trigger gun is closed.



- **PSI: 3000**
- **GPM: 10.5**
- **Temperature: 140°F**
- 3/8" FPT inlet x 1/8" FPT outlet

AP Single Lance Dump Gun

Part No.	Original No.	Description
8.710-405.0	352810	Dump Gun 16" Lance
8.710-406.0	352812	Dump Gun 40" Lance
8.704-169.0	109905	Repair Kit

Dump Gun

Industrial duty dual-lance.



- **PSI: 3000**
- **GPM: 10**
- **Temperature: 200°F**
- 3/8" FPT inlet x 1/8" FPT outlet

Dual Lance Dump Gun

Part No.	Original No.	Description
8.710-408.0	352820	Dump Gun w/ 36" Lance
8.700-311.0	075296	Repair Kits

HOTSY Dual Lance

The Hotsy dual lance simply out classes the competition. 35" and 48" length to meet UL Standards. Designed specifically for Hotsy to our specifications.



- **PSI:** 3000
- **Temperature:** 220°F
- For use with downstream injection
- Detergent control side handle

Part No.	Original No.	Description
8.711-314.0	878912	35" Cold Water
8.711-315.0	878913	35" Hot Water w/Grip
8.711-313.0	878911	48" Hot Water w/Grip
8.717-662.0	877600	Repair Kit
8.711-316.0	878918	Brass Body
8.717-268.0	861420	Handle, Valve

HOTSY Hot Water Lance



Hotsy quality through and through. Superior heat protection with zytel insulated grips.



- **PSI:** 4000
- **Temperature:** 220°F
- 1/4" plated steel pipe
- 1/4" threads
- Zytel insulated grips

Part No.	Original No.	Description
8.711-274.0	936610	15" Lance w/Grip
8.711-312.0	878910	36" Lance w/ Nozzle Protector
8.711-269.0	878917	36" Lance w/Grip & Side Handle
9.802-952.0	936647	48" Lance w/Grip & Side Handle
8.710-677.0	936642	60" Lance w/Grip
8.710-683.0	936643	79" Lance w/Grip

Lance Extension



- **PSI:** 3000
- 1/4" plated steel pipe
- Extends standard Lance to make cleaning easier
- Includes socket and plug

Part No.	Original No.	Description
8.904-419.0	244085	36" Plated Steel Lance

HOTSY Lance Grip



- Easily fastened to any 1/4" wand
- 12" in length
- Zytel material for long life

Part No.	Original No.	Description
8.717-661.0	859762	12" Insulated Grip

HOTSY Cold Water Lances



- **PSI:** 3000
- 1/4" plated steel pipe
- 1/4" threads

Part No.	Original No.	Description
9.802-214.0	936701	36" Lance w/ Side Handle
8.711-271.0	936702	48" Lance w/ Side Handle
8.711-272.0	768391	48" No Side Handle, 4000 PSI

HOTSY Side Handle



Side handle easily adjusts to provide a safe, ergonomic addition to any straight Lance.



- Easily attaches to metal lances
- Fits 1/4" lances

Part No.	Original No.	Description
8.706-670.0	859763	Wand Side Handle

AL Dual Lances

Premium lance with stainless steel inserted seat.



AL Premium Dual Lance

- **PSI:** 3600
- **GPM:** 10.5
- **Temperature:** 300°F
- 1/4" tubing
- Vented grip
- 1/4" male inlet - female outlet

AL Basic Dual Lance

- **PSI:** 3600
- **GPM:** 10.5
- **Temperature:** 300°F
- 1/4" male inlet - female outlet
- 1/8" Zinc plated tubes
- Square molded grip inlet

Part No.	Original No.	Description
8.710-722.0	368925	Stainless Steel Pipe
9.803-267.0	AL8355VPKIT	Repair Kit
8.710-724.0	368927	Basic Dual Lance
8.720-548.0	AL004650300	Repair Kit

Dual Lances



Interpump Dual Lance

- **PSI:** 3000
- **GPM:** 10
- **Temperature:** 220°F
- Excellent for down stream injector
- Zinc-plated for chemical resistance
- Brass & stainless steel valve w/ Viton seals
- Side handle valve adjustment

Part No.	Original No.	Description
8.710-612.0	726598	36" Standard
8.710-621.0	368172	72" Extended
8.904-277.0	368151X*	36" Deluxe Standard
8.904-281.0	368173X*	72" Deluxe Extended
8.900-135.0	084072X	Valve Repair Kit

*Deluxe Lances

Include Hardened Steel QC Inlet Plug, Soap Nozzle and Top Quality Quick Coupler. See lances with deluxe noted above.



Suttner Push & Pull Lance



(Pictured in "pull" 90° position)

- **PSI:** 3050
- **Temperature:** 300°F
- 1/4" MPT inlet
- 1/4" MPT outlet
- Vented grip can be pushed and pulled to make 90 degrees
- Each desired angle remains stationary until adjusted
- Cleans hard to reach areas easier, saving time

Part No.	Original No.	Description
8.710-711.0	368880	ST-85 Push & Pull Lance

Suttner Dual Lances



ST-54 w/ Side Handle

- **GPM:** 10
- **Temperature:** 300°F
- Zinc / chromate finish
- 38" total length

ST-53 w/ Knob

- Molded grip
- High pressure thin wall tubing
- Weight: 42 oz

Part No.	Original No.	Description
8.710-613.0	368153	ST-53 with Knob (4000 PSI)
8.710-614.0	936634	ST-54 with Side Handle, 38" (4500 PSI)
8.711-313.0	878911	ST-54 with Side Handle, 48" (4500 PSI)
8.701-594.0	086884	Repair Kit (ST-53)
8.900-153.0	086883X	Clamp Kit (ST-53/54)
8.701-602.0	086907	Repair Kit (ST-54)

Double Trigger Lance

Unique Design – Go from High Pressure (Rinse) to Low Pressure (Soap) with a pull of the trigger. Use with separate Trigger Gun or as an Open Gun, and still change from High to Low.



- **PSI:** 3600
- **GPM:** 12
- **Temperature:** 300°F
- Zinc-plated steel tubes
- Stainless steel seat
- Includes nozzle protector
- Weight: 39 oz

Part No.	Original No.	Description
8.710-617.0	368158	48" Double Trigger Lance
8.900-781.0	109490	Seal Kit

Legacy Superlite SS Dual lance

Superlite stainless steel with nozzle guard.



- **PSI:** 4000
- **Temperature:** 200°F
- Side handle/ Valve actuator
- Viton seal
- Forged brass valve body
- 1/4" MPT inlet
- 1/8" SS outlet tubing

Part No.	Original No.	Description
8.710-618.0	368160	36" - 37.8 oz
8.710-620.0	368165	72" - 56.0 oz
8.900-781.0	109490	Seal Kit

PA Insulated Molded Grip Lances Round Daisy Grip



- **PSI:** 4000
- **Temperature:** 300°F
- Zinc-plated high pressure tubing
- Glass-filled polyamide grips
- 1/4" MPT both ends
- Round daisy grip
- Better heat dispersion
- Reduced weight

Part No.	Original No.	Length	Description
8.710-657.0	368712PA	12"	Single Grip
8.710-661.0	368720PA	20"	Single Grip
8.710-665.0	368724PA	24"	Single Grip
8.710-668.0	368728PA	28"	Single Grip
8.710-672.0	368736PA	36"	Single Grip
8.710-676.0	368748PA	48"	Double Grip
8.710-681.0	368760PA	60"	Double Grip
8.710-682.0	368778PA	79"	Triple Grip

NOTE: For 15° bend at Lance Discharge, Place "BND" at end of the Original Number

AP Uninsulated Lances



Stainless steel or corrosion-resistant bright zinc-plated lances made with 1/4" tubing.



- **PSI:** 4100
- **Temperature:** 300°F
- Superior strength rolled threads
- 1/4" high pressure, lightweight, thin wall tubing

Part No.	Original No.	Length
Stainless Steel		
8.710-623.0	368212	12"
8.710-624.0	368220	20"
8.710-625.0	368224	24"
8.710-626.0	368228	28"
8.710-627.0	368236	36"
8.710-628.0	368248	48"
8.710-629.0	368260	60"
8.710-630.0	368278	78"

Part No.	Original No.	Length
Zinc-plated		
8.710-631.0	368312	12"
8.710-632.0	368320	20"
8.710-633.0	368324	24"
8.710-634.0	368336	36"
8.710-635.0	368348	48"
8.710-636.0	368360	60"
8.710-637.0	368378	78"

NOTE: For 15° bend at Lance Discharge, Place "BND" at end of the Original Number

Square Molded Grip Lances



- **PSI:** 4500
- **Temperature:** 300°F
- Polyamide square grip
- 1/4" MPT both ends
- Bright Zinc-plated Steel

Part No.	Original No.	Straight Length
8.710-655.0	368712A	12"
8.710-659.0	368720A	20"
8.710-663.0	368724A	24"
8.710-666.0	368728A	28"
8.710-670.0	368736A	36"
8.710-674.0	368748A	48"
8.710-678.0	368760A	60"
8.710-684.0	368779A	79"

NOTE: For 15° bend at Lance Discharge, Place "BND" at end of the Original Number

AP Lances w/ Oval Grips



10% Lighter weight reduces operator fatigue. Stainless steel or Zinc-Plated.



- **PSI:** 4100
- **Temperature:** 300°F
- 1/4" MPT both ends
- Tough glass-filled polyamide
- Molded-on solid oval

Part No.	Original No.	Length	Description
Stainless Steel			
8.710-638.0	368412	12"	Single Grip
8.710-640.0	368420	20"	Single Grip
8.710-641.0	368424	24"	Single Grip
8.710-642.0	368428	28"	Single Grip
8.710-643.0	368436	36"	Single Grip
8.710-646.0	368448	48"	Double Grip
8.710-648.0	368460	60"	Double Grip
8.710-650.0	368479	79"	Double Grip

Part No.	Original No.	Length	Description
Zinc-plated			
8.710-656.0	368712M	12"	Single Grip
8.710-660.0	368720M	20"	Single Grip
8.710-664.0	368724M	24"	Single Grip
8.710-667.0	368728M	28"	Single Grip
8.710-671.0	368736M	36"	Single Grip
8.710-675.0	368748M	48"	Double Grip
8.710-679.0	368760M	60"	Double Grip
8.710-685.0	368779M	79"	Double Grip

NOTE: For 15° bend at Lance Discharge, Place "BND" at end of the Original Number

Suttner Solid Insulated Molded Grip Lances



- **PSI:** 5800
- Glass-Filled Polyamide Grip
- Zinc-Plated High Pressure Steel Tubing
- 1/4" MPT Both Ends

Part No.	Original No.	Length
8.710-654.0	368712	12"
8.710-662.0	368724	24"
8.710-669.0	368736	36"
8.710-673.0	368748	48"
8.710-677.0	368760	60"
8.710-683.0	368779	79"

NOTE: For 15° bend at Lance Discharge, Place "BND" at end of the Original Number

Super Value Vent Grip Lances

Stainless steel or zinc-plated lances with 1/4" inlet/outlet.



- **PSI:** 4100
- **Temperature:** 300°F
- Tough, reusable molded nylon vented handles for heat dissipation
- Heat venting hollow insulators
- 1/4" nozzle protector INCLUDED
- 1/4" male inlet – female outlet

Part No.	Original No.	Length	Description
Stainless Steel			
8.710-688.0	368820SS	20"	Single Grip
8.710-691.0	368824SS	24"	Single Grip
8.710-697.0	368836SS	36"	Single Grip
8.710-701.0	368848SS	48"	Double Grip
8.710-705.0	368860SS	60"	Double Grip
8.710-710.0	368879SS	79"	Double Grip

Part No.	Original No.	Length	Description
Zinc-plated			
8.710-686.0	368820M	20"	Single Grip
8.710-690.0	368824M	24"	Single Grip
8.710-695.0	368836M	36"	Single Grip
8.710-699.0	368848M	48"	Double Grip
8.710-703.0	368860M	60"	Double Grip
8.710-708.0	368879M	79"	Double Grip

NOTE: For 15° bend at Lance Discharge, Place "BND" at end of the Original Number

MV Lance Handle



- Use on all 1/4" lances
- Easily positioned without removal of nozzle

Part No.	Original No.	Description
8.704-162.0	109873	1/4" Lance Handle

Lance Handles / Accessories

Vented Grip, Side Handle with Nut and Vented Grip with Side Handle can be user-attached to Uninsulated Lances or 1/4" Steel Pipe – Detachable & Reusable.



Part No.	Original No.	Description
8.710-717.0	368909P	Vent Grip Only (14" long)
8.904-357.0	368909PS	Grip with Side Handle
8.904-358.0	368920P	Side Handle with Nut

Part No.	Original No.	Description	SUTTNER
8.710-716.0	368909	Vent Grip Only (14" long) ST-9	
8.710-719.0	368911	Grip with Side Handle	
8.710-720.0	368920	Side Handle with Nut	

Spray-Flex™ Flex Wand

Gives easy access to difficult spots, great for cleaning engines, roofs, eaves or underneath almost anything! Holds its' shape under pressure.



- **PSI:** 3000 or 5000
- **Temperature:** 190°F
- 90° flexibility

Part No.	Original No.	Description
8.710-597.0	368117	Spray-Flex™ Flex Wand - 3000 PSI
8.710-596.0	368116	Spray-Flex™ Flex Wand - 5000 PSI

Flex Lances


Flexes a full 180° and returns, saving broken wand repairs.



- **PSI:** 2000
- **Temperature:** 200°F
- Prevents bent lances & broken hoses
- Industrial grade polyurethane flex section
- Perfect for self-serve carwash bays
- 1/4" galvanized pipe end sections

Part No.	Original No.	Description
8.710-598.0	368118	18" Red, 1/4" MPT x 1/4" MPT
8.710-603.0	368121	21" Red, 1/4" MPT x 1/8" FPT
8.710-604.0	368124	24" Red, 1/4" MPT x 1/8" FPT
8.711-322.0	979451	18" Black, 1/4" MPT x 1/4" MPT
8.711-320.0	979452	24" Black, 1/4" MPT x 1/8" FPT

Telescoping Lance



Reach high places without scaffolding. High quality telescoping lance reaches up to 24', 3 sizes to choose from. Lightweight and balanced under pressure

- **PSI:** 4000
- **Temperature:** 200°F
- Safe & convenient – cuts cleaning time by 50%
- Easily adjusted for desired lengths
- Lightweight & balanced under pressure
- 1/4" QC socket for easy nozzle changes
- 3/8" QC plug on trigger gun inlet
- Reinforced guns are bolted to lance
- ST-601 Linear Gun (352201) on 4000 PSI model

Part No.	Original No.	Length	PSI
8.710-592.0	368095	6' – 12'	4000
8.710-593.0	368096	6' – 18'	4000
8.710-594.0	368097	8' – 24'	4000

Fiberglass Telescoping Lance



High quality telescoping lance reaches up to 24', 3 sizes to choose from. Lightweight and balanced under pressure.

- **PSI:** 3500
- **Temperature:** 200°F
- 6' - 12' Lance shown

Belt and pole clamp



Part No.	Original No.	Description	Length	PSI
8.710-589.0	728589	Long!	6' – 12'	3500
8.710-590.0	936641	Longer!!	6' – 18'	3500
8.710-591.0	728591	Longest!	8' – 24'	3500
8.700-059.0	056008	Strap & Belt Shoulder Harness		
Replacement Guns				
8.723-896.0		TS12 Replacement Gun		
8.710-595.0	368098	TS18 Replacement Gun		
8.739-434.0	368099	TS24 Replacement Gun		

Hobby Gun, Lance & Hose

Don't turn away hobby unit owners. Complete replacement hose, gun and lance!



Part No.	Original No.	Description
9.802-223.0	4-011137	Insulated Lance w/ Gun
9.802-220.0	4-011106	Lance w/ Coupler (Not Shown)
8.711-285.0	4-011105	Lance w/ #3 Hi/Low Varifan Nozzle
8.711-531.0	4-02010025M	1/4" x 25' Thermoplastic Hose, 22mm both ends

NOTE: See page 36 for more Hobby Hoses

X-Jet Long Range Nozzle



- Projects water and chemical up to 40'
- Chemicals bypass pump, lance, hose and gun for damage protection
- Includes 15' hose with inline shut-off valve and color coded proportioners

8.710-474.0

Part No.	Original No.	Description	PSI
8.710-474.0	360103	X-Jet Long Range Nozzle	2000-3000
8.710-475.0	360104	X-Jet Long Range Nozzle	3000-4000
8.710-473.0	360102	M5 X-Jet Variable Fan Long Range Nozzle	2000-3000

Kew Replacement Accessories



- **PSI: 4000**
- **GPM: 10.5**
- **Temperature: 300°F**
- 3/8" F inlet
- Bayonet Quick Coupler Outlet

Iride Kew Style

Part No.	Original No.	Description
8.710-427.0	353065	Iride Kew Style
8.704-173.0	109950	Unitized Valve
8.704-174.0	109960	Trigger Seal Kit



Bayonet Plug

- 416 Stainless Steel Plug attaches any 1/4" lance to Kew Guns

Part No.	Original No.	Description
8.710-903.0	373069	SS Plug w/ set back threads

Replacement Accessories



- **PSI: 4000**
- **Temperature: 300°F**
- M22 - 1 "O" Ring inlet (Standard)
- M22 - 2 "O" Ring outlet (Extended)



Astra Style

Iride Style

Part No.	Original No.	Description
8.710-428.0	353070	Astra Style, 10.5 GPM
8.710-429.0	353075	Iride Style, 8 GPM

Maintenance Kits

8.704-173.0	109950	Unitized Valve
8.704-174.0	109960	Trigger Seal Kit

Tip Retainer

Fits vent grip lance and other nozzles.



- 18mm Thread
- Fits vent grip lance & other nozzles
- See tip jet nozzles in nozzle section

Tip Retainer Style

Part No.	Original No.	Description
8.710-901.0	373065	Tip Retainer



- **PSI: 3600**
- **GPM: 11**
- **Temperature: 300°F**
- Double O-ring Seal
- Machined Brass Body
- High Impact Plastic Knob

Extended Twist Seal Coupler

Part No.	Original No.	Description
8.709-535.0	331215	Coupler 1/4"FPT x 22mmF
8.709-555.0	331315	Plug 1/4"FPT x 22mmM

Tip-Jet Nozzle System



Tip-Jet Tips

- **PSI:** to 4000
- Neat & simple tip change
- Hardened stainless steel tips with vanes
- Strainers available
- Body components available in brass, zinc-plated steel or stainless steel

"Tip-Jet" Nozzle Systems are versatile nozzling systems for everyday or specialized applications.

Nozzle Size	0° Part No.	0° Orig No.	15° Part No.	15° Orig No.	25° Part No.	25° Orig No.	40° Part No.	40° Orig No.
3.0	8.708-016.0	253316	8.708-017.0	253317N	8.708-018.0	253318	-	-
4.0	8.708-019.0	253330	8.708-020.0	253331	8.708-021.0	253332	8.708-022.0	253333
4.5	8.708-023.0	253338	8.708-024.0	253339	8.708-025.0	253340	8.708-026.0	253341
5.0	8.708-027.0	253346	8.708-028.0	253348	8.708-029.0	253349	8.708-030.0	253350
5.5	8.708-031.0	253355	8.708-032.0	253357	8.708-033.0	253358	8.708-034.0	253359
6.0	8.708-035.0	253365	8.708-036.0	253367	8.708-037.0	253368	8.708-038.0	253369

Nozzle Size	0° Part No.	0° Orig No.	15° Part No.	15° Orig No.	25° Part No.	25° Orig No.	40° Part No.	40° Orig No.
6.5	8.708-039.0	253375	-	-	8.708-040.0	253377	8.708-041.0	253378
7.0	8.708-042.0	253383	8.708-043.0	253385	8.708-044.0	253386	8.708-045.0	253387
7.5	8.708-046.0	253392	8.708-047.0	253393	8.708-048.0	253394	8.708-049.0	253395
8.0	8.708-050.0	253400	8.708-051.0	253401	8.708-052.0	253402	8.708-053.0	253403
9.0	8.708-054.0	253415	8.708-055.0	253416	8.708-056.0	253417	8.708-057.0	253418
10.0	8.708-058.0	253456	8.708-059.0	253457	8.708-060.0	253458	8.708-061.0	253459

NOTE: See page 59 for strainers and body components